

Conforms to Hazard Communication Standard 29 CFR 1910.1200

---

---

**Section 1 - IDENTIFICATION**

---

---

**Product Identifier:** Nature's Miracle Air Care Deodorizer Scented Gel Beads

**Other Means of Identification:**

Product Code P-98444, P-98444-1  
Formula Number 11-26324

**Recommended Use:** Air freshener

**Recommended Restrictions:** Use in accordance with label directions

**Manufacturer/Importer/Supplier/Distributor Information:**

Company Name Spectrum Brands Pet, LLC  
Address 3001 Commerce Street, Blacksburg, VA 24060  
Telephone Number 1-800-645-5154

**Emergency Telephone Number:**

CHEMTREC (800)424-9300

---

---

**Section 2 - HAZARD(S) IDENTIFICATION**

---

---

**Classification of Substance or Mixture:**

Physical Hazard(s) Not classified as a physical hazard  
Health Hazard(s) Not classified as a health hazard

**Label Elements:**

Hazard Pictogram(s) None  
  
Signal Word None  
Hazard Statements: None  
Precautionary Statements: None

**Hazard(s) not Otherwise Classified (HNOC):** Although this product is solid, it can melt and become a combustible liquid at high temperatures (>61°C/141.8°F). All precautions for combustible liquids should be taken. Prolonged or repeated contact may dry skin and cause irritation.

**Supplemental Information:** May cause slight eye irritation.

---

---

**Section 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

---

---

Chemical Name	Synonyms	CAS Number	%
Isopropyl Alcohol	n/a	67-63-0	1-5%
Non-Hazardous Ingredients	n/a	Mixture	>95%

In accordance with paragraph (d) of 1910.1200, the exact percentage (concentration) has been withheld as a trade secret. Other components are below reportable levels.

---

---

**Section 4 - FIRST-AID MEASURES**

---

---

<b>Inhalation:</b>	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
<b>Skin Contact:</b>	In case of contact, wash skin with plenty of water. If skin irritation or redness develops, seek medical attention.
<b>Eye Contact:</b>	In case of contact, flush eyes with plenty of water. Remove contact lenses, if worn. If irritation persists, get medical attention.
<b>Ingestion:</b>	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention.
<b>Most Important Symptoms/Effects, Acute and Delayed:</b>	Symptoms of exposure may include, irritation of eyes and nose, cough and/or shortness of breath.
<b>Indication of Immediate Medical Attention &amp; Special Treatment Needed:</b>	Immediate medical attention should not be required.

---

---

### Section 5 - FIRE-FIGHTING MEASURES

---

---

<b>Suitable Extinguishing Media:</b>	Treat for surrounding material. Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray. Alcohol resistant foam.
<b>Unsuitable Extinguishing Media:</b>	Caution: Use of water spray when fighting fire may be inefficient.
<b>Specific Hazards Arising from the Chemical:</b>	Products of combustion may include, and are not limited to: oxides of carbon.
<b>Special Protective Equipment and Precautions for Firefighters:</b>	Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respirator protection (SCBA).

---

---

### Section 6 - ACCIDENTAL RELEASE MEASURES

---

---

<b>Personal Precautions, Protective Equipment and Emergency Procedures:</b>	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
<b>Methods and Materials for Containment and Cleaning Up:</b>	Contain and/or absorb spill with inert material. Scoop up material and place in a disposable container. Then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate personal protective equipment (PPE).
<b>Environmental Precautions:</b>	Report spills as required by local and national regulations. Prevent entry into storm sewers and waterways.

---

---

### Section 7 - HANDLING AND STORAGE

---

---

<b>Precautions for Safe Handling:</b>	Avoid breathing mist. Avoid contact with skin and eyes. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
<b>Conditions for Safe Storage,</b>	Keep out of reach of children. Keep container tightly closed. (See

Including any Incompatibilities: section 10).

---



---

**Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**

---



---

**Control Parameters:**

Chemical Name	Exposure Limits					
	OSHA PEL		ACGIH TLV		Supplier OEL	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Isopropyl Alcohol CAS # 67-63-0	TWA: 400 (vacated) TWA: 400 (Vacated) STEL: 500	TWA: 980 (vacated) TWA: 980 (vacated) STEL: 1225	STEL: 400 TWA: 200	-	-	-

**Other Exposure Guidelines:**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Circ., 1992). See Section 15 for national exposure control parameters.

**Appropriate Engineering Controls:**

Showers, Eyewash stations, and ventilation systems

**Individual Protective Measures, Such as Personal Protective Equipment:**

Eye/face protection: None required for normal use. Avoid eye contact.  
 Skin and body protection: None required under normal use conditions.  
 Respiratory protection: None required under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.  
 General hygiene considerations: Do not eat, drink or smoke where material is handled, processed or stored. Wash hands after handling.

---



---

**Section 9 - PHYSICAL AND CHEMICAL PROPERTIES**

---



---

**Appearance (physical state, color, etc.):** multiple colors  
 solid gel consistency, semi-solid, solid  
**Odor:** lavender  
**Odor Threshold:** No data available  
**pH:** 8.5  
**Melting / Freezing Point:** No data available  
**Initial boiling point and range:** 88°C/190°F  
**Flashpoint:** No data available  
**Evaporation Rate:** No data available  
**Flammability (solid, gas):** No data available  
**Upper/lower flammability or explosive limits:** No data available  
**Vapor pressure:** No data available  
**Vapor density:** No data available  
**Relative density:** 0.990

**Solubility(ies):** partially soluble  
**Partition coefficient (n-octanol/water):** No data available  
**Auto-ignition temperature:** No data available  
**Decomposition temperature:** No data available  
**Viscosity:** No data available

---

---

**Section 10 - STABILITY AND REACTIVITY**

---

---

**Reactivity:** No data available.  
**Chemical stability:** Stable under normal storage conditions.  
**Possibility of hazardous reactions:** No dangerous reaction known under conditions of normal use.  
**Conditions to avoid:** Heat. Incompatible materials.  
**Incompatible materials:** Strong oxidizing agents. Acids. Chlorinated compounds.  
**Hazardous decomposition products:** May include, and are not limited to oxides of carbon.

---

---

**Section 11 - TOXICOLOGICAL INFORMATION**

---

---

**Information on the likely routes of exposure:** Inhalation, Ingestion and/or skin or eye contact

**Symptoms related to the physical, chemical and toxicological characteristics:**

Inhalation: May cause respiratory tract irritation.  
Ingestion: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.  
Skin contact: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.  
Eye contact: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.

**Acute Toxicity Values:**

<b>Component Acute Toxicity Values</b>			
<b>Chemical Name</b>	LD50 (Oral)	LD50 (Dermal)	LC50 (inhalation)
Propylene Glycol (67-55-6)	20 g/kg (rat)	20800 mg/kg (rabbit)	-
Isopropyl Alcohol (67-63-7)	1870 mg/kg (rat)	4059 mg/kg (rabbit)	72600 mg/m <sup>3</sup> (rat) 4 hr

**Eye Contact:** Based on available data, the classification criteria are not met.  
**Skin Contact:** Based on available data, the classification criteria are not met.  
**Sensitization:** Based on available data, the classification criteria are not met.

**Chronic Effects-  
 Carcinogenicity:**

Ingredient	Chemical Listed as a Carcinogen or Potential Carcinogen (NTP, IARC, OSHA)
Isopropyl Alcohol 67-63-0	IARC Group 3 OSHA - Carcinogen

\*IARC (International Agency for Research on Cancer) Group 3: Not Classifiable as to Carcinogenicity in Humans

**Reproductive Toxicity:** Based on available data, the classification criteria are not met.  
**Germ Cell Mutagenicity:** Based on available data, the classification criteria are not met.  
**STOT-single exposure:** Based on available data, the classification criteria are not met.  
**STOT-repeated exposure:** Based on available data, the classification criteria are not met.  
**Target Organ Effects** Eyes. Respiratory System. Skin. Blood. Kidney. Liver. Spleen. Systemic  
**Aspiration hazard:** Based on available data, the classification criteria are not met.

**Numerical Measures of Toxicity:**

ATEmix (oral)	43,908.00 mg/kg
ATEmix (inhalation-vapor)	5,561.07 ATEmix

**Comment:** All information was generated using the GHS classification criteria for mixtures

---



---

**Section 12 - ECOLOGICAL INFORMATION**

---



---

**Ecotoxicity:** The environmental impact of this product has not been fully investigated.

Chemical Name:	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Isopropyl Alcohol 67-63-0	96h EC50: >1000mg/L (Desmodesmus subspicatus) 72h EC50: >1000 mg/L (Desmodesmus subspicatus)	96h LC50: .1400000µg/L (Lepomis macrochirus) 96h LC50: =11130 mg/L (Pimephales promelas) 96h LC50: =9640 mg/L (Pimephales promelas)	-	48h EC50: =13299 mg/L

**Persistence and degradability:** No data available

**Bioaccumulative potential:**

Chemical Name	Log Pow
Isopropyl Alcohol (67-63-0)	0.05

**Mobility in soil:** No data available

**Other adverse effects:** No data available

---



---

**Section 13 - DISPOSAL CONSIDERATIONS**

---



---

Dispose of in accordance with all local, state,/provincial and federal regulations. For more information see product label.

---

---

**Section 14 - TRANSPORTATION INFORMATION**

---

---

**DOT:** Not Regulated  
**IATA:** Not Regulated  
**IMDG:** Not Regulated

---

---

**Section 15 - REGULATORY INFORMATION**

---

---

**EPA TSCA Inventory:** All of the components of this product are either on the Toxic Substances Control Act (TSCA) Inventory List or exempt.

**SARA Hazard Category (311/312):** See OSHA hazards listed in section 2.

**SARA 313:** Section 313 of title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name & CAS Number	CAS Number	Weight %	SARA 313 - Threshold Values %
Isopropyl Alcohol 67-63-0	67-63-0	1-5%	1

**California Safe Drinking Water and Toxic Enforcement Act (Proposition 65):** This product does not contain chemicals regulated under California Proposition 65.

**Canadian Environmental Protection Act:** All components of this product are either on the Domestic Substances List (DSL), the Non-Domestic Substances List (NDSL) or exempt.

---

---

**Disclaimer:** Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this

---

---

**Section 16 - OTHER INFORMATION**

---

---

Issue date: August 23, 2021  
Revision date: July 20, 2022  
Version number: 1.1, CFM